



Elite[®] gas furnaces come appointed with:

- Insulated blower compartment to minimize heat loss and maximize efficiency
- Designed to integrate with the PureAir[™] air purification system
- Sturdy burners reduce noise and maintain efficiency throughout the unit life
- Clamshell design reduces air leakage from the unit, sending more heated air to the home
- Additional design elements, like pre-cut holes, pre-bent flanges, and factory installed flue collars, make the installation quicker and more precise
- Dual-fuel compatible with Lennox[®] heat pumps for added cost savings

	High-Efficiency Two-Stage, Variable-Speed Gas Furnace EL296V	High-Efficiency Two-Stage, Constant-Torque Gas Furnace EL296E	High-Efficiency Single-Stage, Constant-Torque Gas Furnace EL196E	Standard-Efficiency Two-Stage, Constant-Torque Gas Furnace EL280E
Annual Fuel Utilization Efficiency (AFUE)	Up To 96%	96%	96%	80%
Heat Stages	Two-Stage	Two-Stage	Single-Stage	Two-Stage
Blower Motor	High-Efficiency Variable-Speed	Power Saver [™] Constant-Torque	Power Saver Constant-Torque	Power Saver Constant-Torque
ENERGY STAR [®] Certified	✓	✓	✓	
Duralok Plus [™] Heat Exchanger	✓	✓	✓	
Duralok [™] Heat Exchanger				✓
iComfort [®] -Enabled Option	✓			
Enhanced Humidity Control	✓			
Heat Exchanger Limited Warranty ³	Lifetime	Lifetime	Lifetime	20-Year
5-Year Limited Warranty On Covered Components ⁸	✓	✓	✓	✓

Contact your local utility company to determine if there are available rebates.

For a full list of product details and testing, visit Lennox.com/terms-and-conditions.

California Only: These furnaces do not meet the South Coast Air Quality Management District (SCAQMD) Rule 1111 NOx emission limit or the San Joaquin Valley Air Pollution Control District (SJVAPCD) NOx emission limit. For more details, visit Lennox.com/terms-and-conditions.

www.lennox.com 1-800-9-LENNOX

For a complete list of the registered and common law trademarks owned by Lennox Industries Inc., please visit www.lennox.com.
© 2020 Lennox Industries Inc. 19LN0076 07/20 (20B08)